

www.infrastone.com






BSC CABINET



CABINET & ENCLOSURE


Products Description

BSC cabinet includes numerous features that will save time and increase the installation options for the user . , Supplied fully assembled as standard with transit castors and adjustable feet. If you' re uncertain. utilize our expertise and recommendations until you' re confident you have exactly what you need! We will build , paint , and configure your server cabinet to your exact specification and ship it to directly to you .



Fectures and benefits

- Exquisite design with precise dimension and craftsmanship.
- Frame is made of nine style and high quality special materials. It has a firm structure and can bear large weight.
- Mcct the requirement of ANSI/EIARS-310-D , DIN41491:PART1
- Surface Finish: Degreasing , Phosphoric , Powder coat.
- Good ventilation and heat dispersing.
- User can add the cable fixtures accordingly.
- Powder coated to protect against rust, oxidization, scratches, lacquer peeling, strong acid and alkali erosion.
- Flexible vertical rail' S thickness must up to 2mm.
- Framework using high strength steel with a 800kg weight capacity.
- Rack's side panel can be easily assembled and disassembled from the outside without using any tools.
- Screw-less appearance for a smooth and clean look.
- It has been widely applied in the field of computer data network , page , wiring , Pa broadcasting , soundtrack system , subway train.



BSC cabinet with double section door.

BSC CABINET CABINET & ENCLOSURE



PHOTO









The door(front , rear and side)can be easily dismantled .

The end to end network cabling solution

BSC CABINET CABINET & ENCLOSURE



Order Information

Part number	Description	Width	Depth	High	Carton measurement	Carton Weight
BSC37-66-*#☆	37U BSC Cabinet	600 mm	600 mm	1800 mm	L620mm×W 640mm×H 1840mm	95 KG
BSC37-68-*#☆	37U BSC Cabinet	600 mm	600 mm	1800 mm	L620mm×W 840mm×H 1840mm	110 KG
BSC37-696-*#☆	37U BSC Cabinet	600 mm	960 mm	1800 mm	L620mm×W 1000mm×H 1840mm	117 KG
BSC37-610-*#☆	37U BSC Cabinet	600 mm	1000 mm	1800 mm	L620mm×W 1040mm×H 1840mm	125 KG
BSC37-86-*#☆	37U BSC Cabinet	800 mm	600 mm	1800 mm	L820mm×W 630mm×H 1840mm	110 KG
BSC37-88-*#☆	37U BSC Cabinet	800 mm	800 mm	1800 mm	L820mm×W 830mm×H 1840mm	125 KG
BSC37-896-*#☆	37U BSC Cabinet	800 mm	960 mm	1800 mm	L820mm×W 1000mm×H 1840mm	132 KG
BSC37-810-*#☆	37U BSC Cabinet	800 mm	1000 mm	1800 mm	L820mm×W 1040mm×H 1840mm	140 KG
BSC42-66-*#☆	42U BSC Cabinet	600 mm	600 mm	2000 mm	L620mm×W 640mm×H 2080mm	110 KG
BSC42-88-*#☆	42U BSC Cabinet	600 mm	800 mm	2000 mm	L620mm×W 840mm×H 2080mm	125 KG
BSC42-696-*#☆	42U BSC Cabinet	600 mm	960 mm	2000 mm	L620mm×W 1000mm×H 2080mm	132 KG
BSC42-610-*#☆	42U BSC Cabinet	600 mm	1000 mm	2000 mm	L620mm×W 1040mm×H 2080mm	140 KG
BSC42-86-*#☆	42U BSC Cabinet	800 mm	600 mm	2000 mm	L20mm×W 630mm×H 2080mm	125 KG
BSC42-88-*#☆	42U BSC Cabinet	800 mm	800 mm	2000 mm	L820mm×W 840mm×H 2080mm	140 KG
BSC42-896-*#☆	42U BSC Cabinet	800 mm	960 mm	200 mm	L820mm×W 1000mm×H 2080mm	147 KG
BSC42-810-*#☆	42U BSC Cabinet	800 mm	1000 mm	2000 mm	L820mm×W 1040mm×H 2080mm	155 KG
BSC47-66-*#☆	47U BSC Cabinet	600 mm	600 mm	2200 mm	L620mm×W 640mm×H 2230mm	125 KG
BSC47-88-*#☆	47U BSC Cabinet	600 mm	800 mm	2200 mm	L620mm×W 830mm×H 2230mm	140 KG
BSC47-696-*#☆	47U BSC Cabinet	600 mm	960 mm	2200 mm	L620mm×W 1000mm×H 2230mm	147 KG
BSC47-610-*#☆	47U BSC Cabinet	600 mm	1000 mm	2200 mm	L620mm×W 1040mm×H 2230mm	155 KG
BSC47-86-*#☆	47U BSC Cabinet	800 mm	600 mm	2200 mm	L820mm×W 640mm×H 2230mm	140 KG
BSC47-88-*#☆	47U BSC Cabinet	800 mm	800 mm	2200 mm	L820mm×W 840mm×H 2230mm	155 KG
BSC47-896-*#☆	47U BSC Cabinet	800 mm	960 mm	2200 mm	L820mm×W 1000mm×H 2230mm	162 KG
BSC47-810-*#☆	47U BSC Cabinet	800 mm	1000 mm	2200 mm	L820mm×W 1040mm×H 2230mm	170 KG

Remarks: *=Front door #=Rear door %=Color Please note: The OEM orders are welcomed by us.

BSB CABINET



CABINET & ENCLOSURE

Products Description

BSB cabinet include numerous features that will save time and increase the installation options for the user . , Supplied fully assembled as standard with transit castors and adjustable feet . If you're uncertain , utilize our expertise and recommendations until you' re confident you have exactly what you need! We will build , paint , and configure your server cabinet to your exact specification and ship it to directly to you .



Fectures and benefits

- Meet the requirement of ANSI/EIARS-310-D . criterions to manufacture .
- Material: seamless steel board.
- Good ventilation and heat dispersing .
- User can add the cable fixtures accordingly .
- Powder coated to protect against rust, oxidization, scratches, lacquer peeling, strong acid and alkali erosion.
- Flexible vertical rail's thickness must up to 2mm .
- Framework using high strength steel with a 500kg .
 weight capacity .
- Rack'S side panel can be easily assembled and disassembled from the outside without using any tools.
- Screw-less appearance for a smooth and clean look .
- It has been widely applied in the field of computer data network , page , wiring , Pa broadcasting , soundtrack system , subway train .

